## Math 871 Problem Set 10

Starred (\*) problems are due Thursday, December 4.

- 65. [Munkres, p.330, Problem #3(c)(d)] Show that if X is a contractible space, then any two maps  $f, g: Y \to X$  are homotopic. Show in addition that if Y is path connected, then any two maps  $f, g: X \to Y$  are homotopic.
- (\*) 66. The cone cX on a space X is the quotient space  $X \times I / \sim$  where  $(x, t) \sim (y, s)$  if (x, t) = (y, s) or t = s = 1. (That is, we crush  $X \times \{1\}$  to a point.) Show that for any space X, cX is a contractible space.

[One approach: cX can be viewed as a certain mapping cylinder.]

- (\*) 67. [Hatcher, p.18, Problem #3(c)] Show that if maps  $f, g: X \to Y$  are homotopic and f is a homotopy equivalence, then g is also a homotopy equivalence.
- 68. [Hatcher, p.19, Problem #11] Show that if  $f: X \to Y$  is a map so that there are maps  $g, h: Y \to X$  with  $f \circ g \simeq \operatorname{Id}_Y$  and  $h \circ f \simeq \operatorname{Id}_X$ , then f is a homotopy equivalence.
- 69. Show the if  $f, g : X \to Y$  and  $h, k : Z \to W$  satisfy  $f \simeq g$  and  $h \simeq k$ , then  $f \times h, g \times k : X \times Z \to Y \times W$  are homotopic.
- (\*) 70. Show that if X is Hausdorff and  $A \subseteq X$  is a retract of X, then A is a closed subset of X.

[Hint: Problem #40 of Problem Set 6 is useful here... find functions  $f, g : X \to X$  so that A is the set of points where the functions agree!]

71. [Munkres, p.186, Problem #11a] Show that if  $p: X \to Y$  is a quotient map, and Z is a locally compact Hausdorff space, then  $p \times \operatorname{Id}_Z : X \times Z \to Y \times Z$  is also a quotient map.

[See the very detailed hints in Munkres' text!]